


**FireKing®**  
**PRODUCT**  
c a t a l o g



See next page for instructions.

# A Catalog Comes to Life . . . with **blippAR**.



FireKing® serves six primary channels: **Commercial,**  
**Home/Small Office, Education, Hospitality, Small Business**  
**Cash Solutions and Personal Safety.**

## Commercial



**Big business** requires the  
best records protection  
you can buy.

## Home/ Small Office



When it comes to safeguarding  
small businesses against a  
disaster, **we bring it home.**

## Education



From fireproof cabinets to robust safes,  
FireKing gets an **"A"** in protection.



## Hospitality



Five star accommodations  
for valuables.

## Personal Safety



## Small Business Cash Solutions



We're **on the money** when  
it comes to the speedy,  
seamless exchange of  
goods.

From housing personal  
documents to securing medical  
supplies, we meet the needs of  
**individuals**, not just companies.

# CONTENTS

## A Family of Features

Disaster strikes in many forms. Fire. Water. Impact. Which is why FireKing® utilizes an arsenal of safeguards to secure critical and valuable items against devastation.

*Use these icons to guide you to the FireKing® products that will best suit your needs.*



**1/2 hr  
fire rated**



**1 hr  
fire rated**



**2 hr  
fire rated**



**water resistant**

*All FireKing® files are designed to prevent water damage resulting from sprinklers and fire hoses*



**ETL  
water resistant**



**125° rating**

*For media protection. The internal temperature will not exceed 125°*



**1-hr - 125° rating**

*For media protection. The internal temperature will not exceed 125°*



**2-hr - 125° rating**

*For media protection. The internal temperature will not exceed 125°*



**3-hr - 125° rating**

*For media protection. The internal temperature will not exceed 125°*



**1/2 hr ETL rating**

*Verified to protect hard drives, CDs, DVDs flash drives, thumb drives from exposure to heat for 30 minutes*



**MagPROOF™**

*Cannot be opened by a magnet*



**30ft impact rated**

*Designed to withstand a 30 foot drop*



**burglary rated**



**medical supplies security**

*Designed for secure and organized storage of medical supplies*



**high-security key lock**

*Key Lock to resist picking and drilling*



**theft resistant**



**Made in the U.S.A.**

## FIREPROOF

File Colors and Features .....	<b>5</b>
FireKing® Vertical File Cabinets, FireKing® Lateral File Cabinets and FireKing 25® .....	<b>6</b>
FireKing Turtle® and Patriot by FireKing® .....	<b>7</b>
FireKing® Safe-In-A-File; FireKing® Card, Check & Note Files; and FireKing® 2-Hour Vertical File Cabinets .....	<b>8</b>
FireKing® End Tab Filing & FireKing® Storage Cabinets .....	<b>9</b>
Accessories .....	<b>10</b>
FireKing® Fire & Water Resistant Safes .....	<b>11</b>
FireKing® 1-Hour Fire & Burglary Rated Safes .....	<b>12</b>
FireKing® 2-Hour Fire with Impact & Burglary Rated Record Safes .....	<b>13</b>
FireKing® 1-Hour Fire Rated Data Safes and FireKing® 2-Hour Fire with Impact Rated Data Safes .....	<b>14</b>
FireKing® 3-Hour Fire with Impact Rated Data Safes and FireKing® Mixed Media Safe .....	<b>15</b>
FireKing® UL® TL-15 Composite Safes .....	<b>16</b>

For testing information (UL® and ETL), visit [ul.com](http://ul.com) and [intertek.com](http://intertek.com)



FireKing® UL® TL-30 Composite Safes .....	<b>17</b>
FireKing FireShield® .....	<b>18</b>
SureSeal by FireKing® Fire & Waterproof Chests.....	<b>19</b>

## CASH HANDLING

FireKing® Depository Safes .....	<b>20</b>
FireKing® Trim Safe and FireKing® Under Counter Safe .....	<b>21</b>
Drop Safes .....	<b>22</b>
Hercules by FireKing® Cash Drawers .....	<b>23</b>
Hercules by FireKing® Cash Boxes .....	<b>24-25</b>

## SECURITY

FireKing® School Medical Solution Cabinets .....	<b>26</b>
Hercules by FireKing® Key Cabinets .....	<b>28</b>
Book Safes and Emergency Key Safe .....	<b>29</b>
FireKing® Personal and Portable Safes .....	<b>30</b>
Magnetic Door/Window Alarm, Door Stop Alarm and Compact Personal Alarm .....	<b>31</b>

## ACCESSORIES

Model No. and Description .....	<b>32-33</b>
---------------------------------	--------------



From interesting tidbits about FireKing® to fun did you know's about the industry as a whole, be sure to check out the FireKing® Hot Facts featured throughout this Catalog.



# PROTECT WHAT'S IMPORTANT

Life is unpredictable.

FireKing® specializes in "unpredictable."

For more than seven decades, we've delivered more than expertly engineered fireproof and security solutions.

We've delivered peace of mind.

**FireKing®**



# FIREPROOF

## Cabinet Colors

Every color tells a story, and FireKing® offers those preferred by today's office designers and decorators. Custom colors are also available (an upcharge may apply).

Turtle® Files available in Parchment and Black only.  
Patriot by FireKing® Files available in Parchment and Black only.  
Burglary and Composite Safes available in Graphite and Taupe only.  
FireShield® available in Diamond Stone only.

To aid your selection, your FireKing® dealer will be glad to show you color charts.



Colors samples are not an exact match. Please contact Customer Service if matching a specific color.

## File Features

**FIREPROOF INSULATION**  
100% gypsum,  
100% peace of mind.

**WATER RESISTANT**  
ETL verification ensures  
files stay "high and dry."

**STEEL PANELS**  
In the event that a panel  
is damaged, it can be  
easily replaced.

**FINISH**  
Environmentally friendly  
electrostatic powder  
coating applied to all  
sides, including bottom.

**DRAWER BODIES**  
High drawer sides  
accommodate hanging folders.

**DRAWER SUSPENSIONS**  
Maintenance free,  
lifetime guarantee.

**INSERT FREE FILING**  
No metal inserts required for hanging files.

**DRAWER LOCKS**  
High security is key. Standard  
keylocks are high security  
UL® listed.

**DRAWER PULLS**  
Surface mounted to allow  
extra insulation.

**INSULATION  
BETWEEN ALL DRAWERS**  
Makes each drawer a separate  
insulated container.

**TWO POSITION  
DRAWER CATCH**  
Access control.



# FIREPROOF



## FireKing® Lateral File Cabinets

The same features of our Vertical File Cabinets – in a sleek design.

**4-3822-C and 2-3822-C**  
*Shown in Parchment*



## < FireKing® Vertical File Cabinets

Stand tall. Stand assured. Stand with FireKing®. Our Vertical File Cabinets are available in 2, 3 and 4 drawer sizes.

**4-2131-C**  
*Shown in Parchment*

**2-2131-C**  
*Shown in Black*



## FireKing 25® >

Save space with this economical filing option. Available in 2 or 4-drawer models in letter or legal widths, with an impressive depth of 25".

**4-2125-C**  
*Shown in Parchment*

**2-1825-C**  
*Shown in Black*



UL® listed, high security Medeco® lock. Limited lifetime warranty. Free after fire replacement guarantee.



### **FireKing Turtle® >**

Tough shell. Tough protection. This 22" deep file cabinet accommodates letter and legal size documents without compromising performance. Comes with a standard keylock. Limited lifetime warranty. Free after fire replacement guarantee.

**4R1822-C and 2R1822-C**  
*Shown in Parchment*



### **< Patriot by FireKing®**

FireKing®'s signature integrity in an economically priced file cabinet. Comes with camlock that controls 2 drawers. Limited 10 year warranty.


**4P1825-C and 2P1825-C**  
*Shown in Black*




*No follower blocks are available for the units listed on this page.*

# Specifications


## FireKing® Vertical File Cabinets >



## FireKing® Lateral File Cabinets >



## FireKing 25® >



## FireKing Turtle® >



## Patriot by FireKing® >



Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
4-1831-C	4 Drawer Letter	10⅝" x 12⅞" x 26"	52¾" x 17¼" x 31⅞"	603 lbs.
4-2131-C	4 Drawer Legal	10⅝" x 15¼" x 26"	52¾" x 20⅜" x 31⅞"	664 lbs.
3-1831-C	3 Drawer Letter	10⅝" x 12⅞" x 26"	40¼" x 17¼" x 31⅞"	476 lbs.
3-2131-C	3 Drawer Legal	10⅝" x 15¼" x 26"	40¼" x 20⅜" x 31⅞"	526 lbs.
2-1831-C	2 Drawer Letter	10⅝" x 12⅞" x 26"	27¾" x 17¼" x 31⅞"	348 lbs.
2-2131-C	2 Drawer Legal	10⅝" x 15¼" x 26"	27¾" x 20⅜" x 31⅞"	383 lbs.

4-3122-C	4 Drawer	10⅝" x 25⅞" x 15⅞"	52¾" x 31⅞" x 22⅞"	794 lbs.
4-3822-C	4 Drawer	10¾" x 31⅞" x 15⅞"	52¾" x 37½" x 22⅞"	907 lbs.
4-4422-C	4 Drawer	10¾" x 38⅞" x 15⅞"	52¾" x 44½" x 22⅞"	1,019 lbs.
3-3122-C	3 Drawer	10⅝" x 25⅞" x 15⅞"	40¼" x 31⅞" x 22⅞"	574 lbs.
3-3822-C	3 Drawer	10¾" x 31⅞" x 15⅞"	40¼" x 37½" x 22⅞"	756 lbs.
3-4422-C	3 Drawer	10¾" x 38⅞" x 15⅞"	40¼" x 44½" x 22⅞"	791 lbs.
2-3122-C	2 Drawer	10⅝" x 25⅞" x 15⅞"	27¾" x 31⅞" x 22⅞"	466 lbs.
2-3822-C	2 Drawer	10¾" x 31⅞" x 15⅞"	27¾" x 37½" x 22⅞"	532 lbs.
2-4422-C	2 Drawer	10¾" x 38⅞" x 15⅞"	27¾" x 44½" x 22⅞"	584 lbs.

Laterals: Multipurpose lateral file cabinets designed for letter and legal filing. Fully equipped for letter and legal hanging folders.

4-1825-C	4 Drawer Letter 25" Deep	10⅝" x 12⅞" x 19¾"	52¾" x 17¼" x 25⅞"	508 lbs.
4-2125-C	4 Drawer Legal 25" Deep	10⅝" x 15¼" x 19¾"	52¾" x 20⅜" x 25⅞"	551 lbs.
2-1825-C	2 Drawer Letter 25" Deep	10⅝" x 12⅞" x 19¾"	27¾" x 17¼" x 25⅞"	287 lbs.
2-2125-C	2 Drawer Legal 25" Deep	10⅝" x 15¼" x 19¾"	27¾" x 20⅜" x 25⅞"	326 lbs.

4R1822-C	4 Drawer Vertical	10⅝" x 12⅞" x 15⅞"	52¾" x 17¼" x 22⅞"	435 lbs.
2R1822-C	2 Drawer Vertical	10⅝" x 12⅞" x 15⅞"	27¾" x 17¼" x 22⅞"	251 lbs.

Turtles: A space saving file 22" deep that holds letter size hanging folders front to back and legal size hanging folders side to side.

4P1831-C	4 Drawer Letter	10⅝" x 12⅞" x 26"	52¾" x 17⅞" x 31⅞"	603 lbs.
4P2131-C	4 Drawer Legal	10⅝" x 15¼" x 26"	52¾" x 20¾" x 31⅞"	664 lbs.
4P1825-C	4 Drawer Letter/Legal	10⅝" x 12⅞" x 19¾"	52¾" x 17⅞" x 25"	508 lbs.
2P1831-C	2 Drawer Letter	10⅝" x 12⅞" x 26"	27¾" x 17⅞" x 31⅞"	348 lbs.
2P2131-C	2 Drawer Legal	10⅝" x 15¼" x 26"	27¾" x 20¾" x 31⅞"	383 lbs.
2P1825-C	2 Drawer Letter/Legal	10⅝" x 12⅞" x 19¾"	27¾" x 17⅞" x 25"	287 lbs.

25" files accept both legal or letter size documents using a front to back or side to side filing system.



## < FireKing® Safe-in-A-File

Double the security. A hidden safe in the top drawer offers additional protection.

### Features:

- 2.4 cubic foot capacity safe
- Inner safe door constructed of ¼" steel
- Safe features internal relocking device
- Both safe and file drawers offer fireproof protection
- UL® listed Group II combination lock
- Safe interiors are available in Graphite color only

**4-2131-CSF**

*Shown in Parchment*

**2-2131-CSF**

*Shown in Black*



*Top door conceals inner door*



*Inside Safe-In-A-File*



*With remaining 3 file drawers*

## FireKing® 2-Hour > Vertical File Cabinets

The ultimate in fireproof records protection. Made with Thermocell II®, a proprietary insulation, which provides twice the protection.

**4-1956-2 and 2-2130-2**  
*Shown in Parchment*



*Shown in Parchment with 32026 Inserts (sold separately)*

## FireKing® Card, Check & Note Files

Confidentiality, check. Available in 4 and 6-drawer models. UL® listed keylock top drawer to control all drawers.

**6-2552-C**

*Shown in Parchment*



The United States government stores its treasury bonds in FireKing® file cabinets.



*Limited lifetime warranty. Free after fire replacement guarantee.*

# FIREPROOF

## < FireKing® End Tab Filing

The be all and end all. Letter size end tab filing system houses 3 to 6 rows of end tab filing with 4 adjustable dividers on each row.

### **CF7236-MD**

*72" tall accommodates 6 rows of end tab filing*

### **CF4436-MD**

*44" tall accommodates 3 rows of end tab filing*



*The perfect unit for letter size end tab filing.*

## FireKing® Storage Cabinets >

Discover what's in store. Equipped with a weight capacity of 160 lbs. per shelf to accommodate those larger, heavier storage requirements.

### **CF7236-D**

*72" tall with 4 adjustable shelves*

### **CF4436-D**

*44" tall with 2 adjustable shelves*



*Shown in Parchment. Limited lifetime warranty. Free after fire replacement guarantee.*



# Specifications

## FireKing® Safe-In-A-File >



## FireKing® Card, Check & Note Files >



## FireKing® 2-Hour Vertical File Cabinets >



## FireKing® End Tab Filing >



## FireKing® Storage Cabinets >



Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
4-2131-CSF	4 Drawer Legal	10 <sup>3</sup> / <sub>8</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	52 <sup>3</sup> / <sub>4</sub> " x 20 <sup>3</sup> / <sub>16</sub> " x 31 <sup>3</sup> / <sub>16</sub> "	728 lbs.
3-2131-CSF	3 Drawer Legal	10 <sup>3</sup> / <sub>8</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	40 <sup>1</sup> / <sub>4</sub> " x 20 <sup>3</sup> / <sub>16</sub> " x 31 <sup>3</sup> / <sub>16</sub> "	644 lbs.
2-2131-CSF	2 Drawer Legal	10 <sup>3</sup> / <sub>8</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	27 <sup>3</sup> / <sub>4</sub> " x 20 <sup>3</sup> / <sub>16</sub> " x 31 <sup>3</sup> / <sub>16</sub> "	501 lbs.

Safe-In-A-File: Safe inside dimensions - 10<sup>7</sup>/<sub>16</sub>"H, 16<sup>1</sup>/<sub>16</sub>"W, 24<sup>1</sup>/<sub>16</sub>"D. Safe interiors available in Graphite color only.

6-2552-C	6 Drawer	6 <sup>1</sup> / <sub>4</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 26"	52 <sup>3</sup> / <sub>4</sub> " x 25 <sup>5</sup> / <sub>16</sub> " x 31 <sup>3</sup> / <sub>16</sub> "	863 lbs.
4-2536-C	4 Drawer	6 <sup>1</sup> / <sub>4</sub> " x 19 <sup>3</sup> / <sub>4</sub> " x 26"	36 <sup>5</sup> / <sub>8</sub> " x 25 <sup>5</sup> / <sub>16</sub> " x 31 <sup>3</sup> / <sub>16</sub> "	644 lbs.

4-1956-2	4 Drawer Letter	11 <sup>3</sup> / <sub>16</sub> " x 12 <sup>15</sup> / <sub>16</sub> " x 25 <sup>1</sup> / <sub>8</sub> "	56 <sup>3</sup> / <sub>16</sub> " x 19" x 31 <sup>3</sup> / <sub>16</sub> "	957 lbs.
4-2157-2	4 Drawer Legal	11 <sup>13</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	57" x 21 <sup>1</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>16</sub> "	1,021 lbs.
3-1943-2	3 Drawer Letter	11 <sup>9</sup> / <sub>16</sub> " x 12 <sup>15</sup> / <sub>16</sub> " x 25 <sup>1</sup> / <sub>8</sub> "	42 <sup>13</sup> / <sub>16</sub> " x 19" x 31 <sup>3</sup> / <sub>16</sub> "	665 lbs.
3-2144-2	3 Drawer Legal	11 <sup>13</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	43 <sup>7</sup> / <sub>16</sub> " x 21 <sup>1</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>16</sub> "	752 lbs.
2-1929-2	2 Drawer Letter	11 <sup>9</sup> / <sub>16</sub> " x 12 <sup>15</sup> / <sub>16</sub> " x 25 <sup>1</sup> / <sub>8</sub> "	29 <sup>1</sup> / <sub>2</sub> " x 19" x 31 <sup>3</sup> / <sub>16</sub> "	477 lbs.
2-2130-2	2 Drawer Legal	11 <sup>13</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 26"	29 <sup>5</sup> / <sub>8</sub> " x 21 <sup>3</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>16</sub> "	548 lbs.

CF7236-MD	6 Fixed Shelves	67 <sup>7</sup> / <sub>8</sub> " x 31 <sup>3</sup> / <sub>8</sub> " x 13"	72" x 36" x 19 <sup>1</sup> / <sub>4</sub> "	948 lbs.
CF4436-MD	3 Fixed Shelves	39 <sup>7</sup> / <sub>8</sub> " x 31 <sup>3</sup> / <sub>8</sub> " x 13"	44" x 36" x 19 <sup>1</sup> / <sub>4</sub> "	698 lbs.

Accommodates 6 rows and 3 rows.

CF7236-D	4 Adjustable Shelves	67 <sup>7</sup> / <sub>8</sub> " x 31 <sup>3</sup> / <sub>8</sub> " x 15"	72" x 36" x 19 <sup>1</sup> / <sub>4</sub> "	892 lbs.
CF4436-D	2 Adjustable Shelves	39 <sup>7</sup> / <sub>8</sub> " x 31 <sup>3</sup> / <sub>8</sub> " x 15"	44" x 36" x 19 <sup>1</sup> / <sub>4</sub> "	620 lbs.

# FIREPROOF

## Accessories (File Cabinets)

You have many options to customize your FireKing® cabinets. You can add security features as well as accessories that will help you tailor your cabinet to your document types.

*Note: Some accessories and options may not be available on certain Filing Cabinets.*



### < Casters

Make your FireKing® file cabinet portable with a caster base.



### < Cross Tray

Cross trays sit horizontally or vertically across a standard file drawer and are great for storing small items, cards, checks, etc.



### < Inner Drawer

The inner drawer accessory fits inside standard file drawers and comes complete with glide rails for smooth operation. Factory installed.



### < Document Inserts

Opt for document inserts and provide a convenient way to file various nonstandard size documents, a top inner drawer (factory installed) or section inserts with 1 to 6 sections.



### < File Lock Options

Electronic locks are available for most FireKing® file cabinets. Specify one e-lock for the cabinet or order your file with e-locks on each drawer. (Not available on Turtle®, Patriot by FireKing® Files or FireShield®.)

## Accessories (Storage Cabinets)

You have many options to customize your storage cabinets. You can add accessories that will help you tailor your cabinet to meet your needs.



### < Letter Size End Tab Filing

Store end tab files with adjustable and modular end tab filing shelves for easy, at a glance records archiving.



### < File Drawer

Our modular file drawer comes in either a legal configuration, storing two rows of legal size folders side by side, or letter configuration, holding letter size folders in a single row.



### < Pull Out Shelf

Create a convenient tabletop workspace in seconds with the pull out tray. It's sturdy enough to act as a writing surface, and discreet enough to slide out of the way when not in use.



### < Blueprint Holder

Organize, store and access blueprints quickly with this convenient accessory. Blueprints are stored unfurled and upright so that designs and schematics are stored for easy access and protection.

## FireKing® Fire & Water Resistant Safes

Heavy steel construction brings the heat against fire damage. Limited one year warranty. Free after fire replacement guarantee.

Comes standard with 2 adjustable shelves.



### ½-Hour Fire Rated

- 2 user programmable lock
- Override key included
- 9V battery required (included)
- 4 live bolts
- 3 deadbolts
- Available in Black finish
- Bolt down kit included

**KF2418-HBLE**

½-hour fire rated



Comes standard with 1 tray.

### 1-Hour Fire Rated

- 4 user programmable lock
- Adjustable shelf (KF1509-1WHE)
- Override key included
- 9V battery required (included)
- 2 live bolts
- 2 deadbolts
- Available in White finish
- Bolt down kit included

**KF0812-1WHE**  
1-hour fire rated

**KF1509-1WHE**  
1-hour fire rated

**KF0915-1WHE**  
1-hour fire rated



Comes standard with 1 shelf.

### 2-Hour Fire Rated

- 4 user programmable lock
- Tray (KF1612-2WHE)
- Key-locking drawer (KF1814-2WHE)
- Override key included
- 9V battery required (included)
- Up to 5 live bolts
- Up to 3 deadbolts
- Available in White finish
- Bolt down kit included

**KF1612-2WHE**  
2-hour fire rated

**KF1814-2WHE**  
2-hour fire rated



	Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
½ hour	<b>KF2418-HBLE</b>	24¼" x 18½" x 15½"	27⅞" x 21⅝" x 19"	187 lbs.	4.02 cu. ft.
1 hour	<b>KF0812-1WHE</b>	8" x 12⅝" x 9¼"	11¾" x 16½" x 14"	81 lbs.	0.53 cu. ft.
1 hour	<b>KF0915-1WHE</b>	9¼" x 15" x 12"	13¾" x 19⅝" x 16¾"	125 lbs.	0.97 cu. ft.
1 hour	<b>KF1509-1WHE</b>	15" x 9¼" x 12"	19⅜" x 13¾" x 16¾"	125 lbs.	0.97 cu. ft.
2 hour	<b>KF1612-2WHE</b>	16⅝" x 12⅝" x 12⅝"	21¾" x 18⅝" x 18⅝"	198 lbs.	1.48 cu. ft.
2 hour	<b>KF1814-2WHE</b>	18½" x 14⅞" x 12⅝"	24" x 19⅝" x 18½"	231 lbs.	1.85 cu. ft.

Depth does not include lock or handle.



## **FireKing® 1-Hour Fire & Burglary Rated Safes**

Double the protection at an affordable price. Available in 7 sizes with 2 colors to choose from: Graphite and Taupe.

### **Features:**

- UL® listed relocking device for extra security
- Drill resistant steel hardplate protects the combination lock
- Vertical and horizontal bolts resist prying
- Bolt-O-Matic door guard automatically extends the 1" bolts when the door is closed
- UL® rated Group II combination lock is standard with over 1,000,000 combinations
- Optional electronic lock automatically locks safe when door is closed
- 7/8" anchor hole in bottom of safe comes standard for added security



**FB5428-1**  
*Shown in Graphite with optional electronic lock*

*Comes standard with 4 shelves.*



**FB2218C1**  
*Shown in Graphite and Taupe with optional electronic lock*

*For added security, a 7/8" anchor hole comes standard in the bottom of the safe.*



*One year warranty. Free after fire replacement guarantee.*



# FIREPROOF

## FireKing® 2-Hour Fire with Impact & Burglary Rated Record Safes

Superior fire and burglary protection. All 6 sizes have passed UL®'s impact test\* and are available in 2 colors: Graphite and Taupe.

**KR3115-2**  
*Shown in Graphite with  
optional electronic lock*



**KR5021-2**  
*Shown in Graphite with  
optional electronic lock*



**KR2115-2**  
*Shown in Graphite with  
optional electronic lock*



*Equipped with 2 standard adjustable  
shelves and extra hardplate for  
enhanced drill resistance. All have a  
high security Medeco® key lock.*



*3 shelves are standard.*



One year warranty. Free replacement after fire guarantee.

\*The UL® impact test calls for the safe to be heated to 1550°F for 30 minutes (1638°F for 45 minutes for a 2-hour fire rated safe) then dropped onto concrete rubble from a height of 30 feet. Then it is inverted and reheated for another 30 minutes (45 minutes for a 2-hour fire rated safe). The safe must maintain its integrity throughout the test and protect all contents. Why is impact testing important? In many fires, roofs will cave in or the floor will collapse, destroying everything under them. In such an event, you'll want to know your safe is impact rated.

Specifications

FireKing® 1-Hour Fire & Burglary Rated Safes >



Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FB1612-1	16" x 12" x 12¼"	21⅝" x 17⅞" x 21⅝"	320 lbs.	1.3 cu. ft.
FB2218C1	22" x 18⅝" x 12¼"	27⅝" x 24⅞" x 21⅝"	388 lbs.	2.9 cu. ft.
FB2218-1	22" x 18⅝" x 16"	27⅝" x 24⅞" x 25¾"	495 lbs.	3.8 cu. ft.
FB3020-1	30" x 20" x 21"	35⅝" x 25⅞" x 30¾"	915 lbs.	7.3 cu. ft.
FB3624-1	36" x 24" x 21"	41" x 29⅞" x 30¾"	1,040 lbs.	10.5 cu. ft.
FB4524-1	45" x 24" x 21"	50⅝" x 29⅞" x 30¾"	1,140 lbs.	13.1 cu. ft.
FB5428-1	54¾" x 28⅞" x 19⅞"	60⅝" x 34⅞" x 29⅞"	1,240 lbs.	17.8 cu. ft.

FireKing® 2-Hour Fire with Impact & Burglary Rated Records Safes >



KR2115-2	20" x 18½" x 15"	30⅞" x 25½" x 22⅞"	420 lbs.	3.2 cu. ft.
KR2021-2	20" x 18½" x 21"	30⅞" x 25½" x 28⅞"	560 lbs.	4.5 cu. ft.
KR3115-2	30⅞" x 18½" x 15"	41⅞" x 25½" x 22⅞"	525 lbs.	4.9 cu. ft.
KR3121-2	30⅞" x 18½" x 21"	41⅞" x 25½" x 28⅞"	635 lbs.	6.9 cu. ft.
KR3921-2	39½" x 18½" x 21"	49⅞" x 25½" x 28⅞"	760 lbs.	8.9 cu. ft.
KR5021-2	50" x 18½" x 21"	60½" x 25½" x 28⅞"	875 lbs.	11.2 cu. ft.



Electronic and facial recognition lock options available.



FB2218-1  
Shown in Taupe with optional electronic lock



Media data and photographs are more susceptible to loss from heat and humidity than paper documents.

# FIREPROOF



*Safe shown with Composite Drawers and Fixed Shelf (sold separately).*

## Test Procedure

*\*Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 1 hour to 1700°F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test, and the Humidity Test.*

## Optional Interiors

**CS12-FS** Fixed shelf for DS1513-1

**CS12-CD** Composite drawer for DS1513-1

**CS16-FS** Fixed shelf for DS1817-1

**CS16-CD** Composite drawer for DS1817-1

## < FireKing® 1-Hour Fire Rated Data Safes

Computer media is easily damaged – but not with a FireKing® Data Safe on the job. Available in 2 sizes, features a UL® Class 125 1-hour fire rating\*.

### Features:

- Equipped with a high security key lock
- Available in our Platinum finish

**DS1817-1**

## FireKing® 2-Hour Fire with > Impact Rated Data Safes

Makes an impact – and withstands one, too. Incorporates layers of heat absorbing material, fireproof insulating foam and a tough steel casing. Each FireKing® 2-Hour Safe carries a UL® Class 125 2-hour fire and impact rating\*\*.

### Features:

- Programmable electronic lock for security and easy access
- Available in our Light Gray finish
- Optional interiors allow various configurations to meet your storage needs

**DS6431-2**

## Test Procedure

*\*\*Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 2 hours to 1850°F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test, the Humidity Test and the Fire and Impact Test.*

## Optional Interiors

**CS20-FS** Fixed shelf for DS6420-2    **CS20-CD** Composite drawer for DS6420-2

**CS31-FS** Fixed shelf for DS6431-2    **CS31-CD** Composite drawer for DS6431-2



*Safe shown with Composite Drawers and Fixed Shelf (sold separately).*

*One year warranty.*



DM2513-3



## < FireKing® 3-Hour Fire with Impact Rated Data Safes

You're in safe hands – with our highest rated safe. Available in 5 sizes, all featuring the UL® Class 125 3-hour fire and impact rating\*.

### Features:

- Programmable electronic lock for security and easy access
- Available in our Platinum finish
- Canadian UL Class 52 3 Hour as to fire and impact resistance

### Test Procedure

*\*Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 3 hours to 1925°F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test and the Humidity Test.*

### Optional Interiors

**CM12-FS** Fixed shelf for DM1413/2513-3

**CM12-CD** Composite Drawer for DM1413/2513-3

**CM19-FS** Fixed shelf for DM2520/3420/4420-3

**CM19-CD** Composite Drawer for DM2520/3420/4420-3



DP2150-M



## < FireKing® Mixed Media Safe

Two safes in one – the ultimate in versatile protection. The top section holds paper records and files, while the bottom section holds media.

### Media Compartment Optional Interiors

**CM19-FS** Fixed shelf

**CM19-CD** Composite Drawer

### Paper Compartment Optional Interiors

**S-21** Fixed shelf



No one knows who invented the fire hydrant because the patent was burned in a fire.




Specifications


FireKing® 1-Hour Fire Rated Data Safes >



FireKing® 2-Hour Fire with Impact Rated Data Safes >



FireKing® 3-Hour Fire with Impact Rated Data Safes >



FireKing® Mixed Media Safe >



Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
DS1513-1	14 <sup>3</sup> / <sub>8</sub> " x 12 <sup>7</sup> / <sub>16</sub> " x 12 <sup>7</sup> / <sub>16</sub> "	25 <sup>1</sup> / <sub>2</sub> " x 21 <sup>1</sup> / <sub>2</sub> " x 22 <sup>3</sup> / <sub>8</sub> "	297 lbs.	1.3 cu. ft.
DS1817-1	17 <sup>1</sup> / <sub>2</sub> " x 16 <sup>3</sup> / <sub>8</sub> " x 17"	28 <sup>3</sup> / <sub>8</sub> " x 25 <sup>1</sup> / <sub>2</sub> " x 26 <sup>3</sup> / <sub>8</sub> "	429 lbs.	2.8 cu. ft.

See your dealer for the complete selection of interior designs.

DS6420-2	63 <sup>1</sup> / <sub>8</sub> " x 19 <sup>5</sup> / <sub>16</sub> " x 15 <sup>13</sup> / <sub>16</sub> "	76 <sup>13</sup> / <sub>16</sub> " x 29 <sup>7</sup> / <sub>16</sub> " x 30"	1,380 lbs.	11.2 cu. ft.
DS6431-2	63 <sup>1</sup> / <sub>8</sub> " x 30 <sup>3</sup> / <sub>4</sub> " x 18 <sup>9</sup> / <sub>16</sub> "	76 <sup>13</sup> / <sub>16</sub> " x 40 <sup>7</sup> / <sub>8</sub> " x 32 <sup>3</sup> / <sub>16</sub> "	1,870 lbs.	20.9 cu. ft.

DM1413-3	13 <sup>5</sup> / <sub>8</sub> " x 11 <sup>1</sup> / <sub>2</sub> " x 16 <sup>11</sup> / <sub>16</sub> "	29 <sup>5</sup> / <sub>8</sub> " x 25 <sup>1</sup> / <sub>4</sub> " x 31"*	650 lbs.	1.5 cu. ft.
DM2513-3	24 <sup>5</sup> / <sub>16</sub> " x 11 <sup>1</sup> / <sub>2</sub> " x 16 <sup>11</sup> / <sub>16</sub> "	40 <sup>1</sup> / <sub>4</sub> " x 25 <sup>1</sup> / <sub>4</sub> " x 31"*	740 lbs.	2.7 cu. ft.
DM2520-3	24 <sup>5</sup> / <sub>16</sub> " x 18 <sup>5</sup> / <sub>8</sub> " x 16 <sup>11</sup> / <sub>16</sub> "	40 <sup>1</sup> / <sub>4</sub> " x 32 <sup>1</sup> / <sub>16</sub> " x 31"*	1,050 lbs.	4.5 cu. ft.
DM3420-3	33 <sup>1</sup> / <sub>8</sub> " x 18 <sup>5</sup> / <sub>8</sub> " x 16 <sup>11</sup> / <sub>16</sub> "	49 <sup>1</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>16</sub> " x 31"*	1,240 lbs.	6.0 cu. ft.
DM4420-3	43 <sup>5</sup> / <sub>8</sub> " x 18 <sup>5</sup> / <sub>8</sub> " x 16 <sup>11</sup> / <sub>16</sub> "	59 <sup>3</sup> / <sub>4</sub> " x 32 <sup>1</sup> / <sub>16</sub> " x 31"*	1,420 lbs.	7.9 cu. ft.

See your dealer for the complete selection of interior designs.

\*Exterior depth does not include handle depth of 1<sup>1</sup>/<sub>16</sub>".

DP2150-M	59 <sup>3</sup> / <sub>4</sub> " x 32 <sup>1</sup> / <sub>16</sub> " x 31"	1,290 lbs.	
Paper compartment	19 <sup>1</sup> / <sub>2</sub> " x 26 <sup>3</sup> / <sub>4</sub> " x 20 <sup>29</sup> / <sub>32</sub> "		6.1 cu. ft.
Media compartment	24 <sup>5</sup> / <sub>16</sub> " x 18 <sup>5</sup> / <sub>8</sub> " x 16 <sup>11</sup> / <sub>16</sub> "		4.4 cu. ft.



Could you be one of the 59% who believes vital records are secure in a steel filing cabinet...because they're not!



## FireKing® UL® TL-15 Composite Safes

Access denied. TL-15 Burglary Rated Safes with a high security door designed to protect valuables against skilled burglars and the devastation of fire. Limited one year warranty. Free after fire replacement guarantee.

- Standard 3 way bolt works
- Equipped with standard Group II mechanical dial combination lock
- High security door with hard plate
- Available in Graphite or Taupe



**JC2218-Z**  
*Shown in Graphite*



**JC1814-Z**  
*Shown in Graphite*



**JC3624-Z**  
*Shown in Graphite*

Visit [ul.com](http://ul.com) to learn more about burglary rating specifications.

# FIREPROOF



**KC7233-Z**  
*Shown in Graphite*

**KC3020-Z**  
*Shown in Graphite*



**KC2218-Z**  
*Shown in Graphite*



## **FireKing® UL® TL-30 Composite Safes**

Maximum protection. TL-30 Burglary Rated Safes with a high security door designed for maximum protection against skilled burglars and the devastation of fire. Limited one year warranty. Free after fire replacement guarantee.

- Standard 3 way bolt works
- Equipped with standard Group II mechanical dial combination lock
- High security door with hard plate
- Available in Graphite or Taupe

Visit [ul.com](http://ul.com) to learn more about burglary rating specifications.

## Specifications

### FireKing® UL® TL-15 Composite Safes >



Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
JC1814-Z	1 Shelf	18" x 14" x 12¼"	25" x 21" x 21½"	700 lbs.	1.8 cu. ft.
JC2218-Z	1 Shelf	22" x 18½" x 16"	28½" x 25½" x 26⅞"	1,000 lbs.	3.8 cu. ft.
JC3020-Z	2 Shelves	30" x 20" x 21"	36½" x 26¼" x 31⅞"	1,400 lbs.	7.3 cu. ft.
JC3624-Z	2 Shelves	36" x 24" x 21"	42½" x 30⅜" x 31⅞"	1,830 lbs.	10.5 cu. ft.
JC4524-Z	3 Shelves	45" x 24" x 21"	51½" x 30⅜" x 31⅞"	2,115 lbs.	13.1 cu. ft.
JC5524-Z	4 Shelves	55" x 24" x 21"	61½" x 30⅜" x 31⅞"	2,250 lbs.	16 cu. ft.
JC6033-Z	4 Shelves	60" x 33⅞" x 21"	66½" x 41" x 31⅞"	3,200 lbs.	24.7 cu. ft.
JC6524-Z	5 Shelves	65" x 24" x 21"	71½" x 31" x 31⅞"	2,760 lbs.	19 cu. ft.
JC6528-Z	5 Shelves	65" x 28" x 21"	71½" x 35⅞" x 31⅞"	3,130 lbs.	22.1 cu. ft.
JC7233SZ	5 Shelves	72" x 33⅞" x 21"	78½" x 41" x 31⅞"	3,650 lbs.	29.6 cu. ft.
JC7233-Z	5 Shelves	72" x 33⅞" x 26"	78½" x 41" x 36⅞"	4,125 lbs.	36.7 cu. ft.

### FireKing® UL® TL-30 Composite Safes >



Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
KC1814-Z	1 Shelf	18" x 14" x 12¼"	25" x 21" x 21½"	700 lbs.	1.8 cu. ft.
KC2218-Z	1 Shelf	22" x 18½" x 16"	28½" x 25½" x 26⅞"	1,050 lbs.	3.8 cu. ft.
KC3020-Z	2 Shelves	30" x 20" x 21"	36½" x 26¼" x 31⅞"	1,450 lbs.	7.3 cu. ft.
KC3624-Z	2 Shelves	36" x 24" x 21"	42½" x 30⅜" x 31⅞"	1,850 lbs.	10.5 cu. ft.
KC4524-Z	3 Shelves	45" x 24" x 21"	51½" x 30⅜" x 31⅞"	2,135 lbs.	13.1 cu. ft.
KC5524-Z	4 Shelves	55" x 24" x 21"	61½" x 30⅜" x 31⅞"	2,550 lbs.	16 cu. ft.
KC6033-Z	4 Shelves	60" x 33⅞" x 21"	66½" x 41" x 31⅞"	3,300 lbs.	24.7 cu. ft.
KC6524-Z	5 Shelves	65" x 24" x 21"	71½" x 31" x 31⅞"	2,990 lbs.	19 cu. ft.
KC6528-Z	5 Shelves	65" x 28" x 21"	71½" x 35⅞" x 31⅞"	3,220 lbs.	22.1 cu. ft.
KC7233SZ	5 Shelves	72" x 33⅞" x 21"	78½" x 41" x 31⅞"	3,725 lbs.	29.6 cu. ft.
KC7233-Z	5 Shelves	72" x 33⅞" x 26"	78½" x 41" x 36⅞"	4,200 lbs.	36.7 cu. ft.



FireKing® file cabinets and safes are available in over 85 countries.



## FireKing FireShield®

Light in weight, heavy on fire resistance. 2-drawer file cabinet includes a Safe-In-A-File for extra protection. ETL verified for 1-hour fire protection for paper documents and digital media (flash drives, hard drives, CDs and DVDs). Diamond Stone finish. Limited one year warranty.

**2S1822-DDSSF**



A structural fire occurs every 23 seconds.



Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>2S1822-DDSSF</b>	10 <sup>3</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> " x 17 <sup>3</sup> / <sub>4</sub> " x 22 <sup>1</sup> / <sub>8</sub> "	237 lbs.	1.3 cu. ft.



# FIREPROOF

## SureSeal by FireKing® Fire & Waterproof Chests

Buildings destroyed by a fire can be restored. The same can't be said for passports, digital media and other important items. SureSeal Chests by FireKing® keep interior, dry even when completely submerged for up to 2 hours. Seven year warranty. Free after fire replacement guarantee.



### SS102

*Holds #10 envelopes and folded documents*

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle



### SS103

*Holds letter and A4 size documents flat*

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle



### SS104

*Holds letter and legal size files*

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle
- Safety hinges



### SS106

*Holds letter and A4 size hanging file folders*

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches



	Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
🔥 1/2 hour	<b>SS102</b>	4 1/2" x 9 3/8" x 6"	7 3/16" x 12 1/4" x 9 4/8"	20 lbs.	0.15 cu. ft.
🔥 1/2 hour	<b>SS103</b>	3 9/16" x 13 1/16" x 8 1/2"	6 1/2" x 15 9/16" x 12 2/8"	29 lbs.	0.27 cu. ft.
🔥 1/2 hour	<b>SS106</b>	10 1/16" x 12 1/8" x 8 3/8"	13" x 16" x 12 1/2"	51 lbs.	0.6 cu. ft.
🔥 1 hour	<b>SS104</b>	3 3/8" x 14 3/8" x 12"	7 3/16" x 19 9/16" x 17"	56 lbs.	0.38 cu. ft.

This product is designed to protect digital media (CDs/DVDs, flash drives and portable hard drives). Please reference our data safes section for protection of film, data cartridges, video/audio cassettes, floppy discs, photos or photo negatives.

# CASH HANDLING

## SOMETIMES, YOUR BIGGEST THREAT ISN'T AT THE HANDS OF FIRE OR NATURAL DISASTER

As your requirements for organization and security grow, FireKing® is ready to step in with smart, time proven solutions that complement any décor. FireKing® Depository Safes, Trim Safes, Hercules by FireKing® Cash Boxes and more are designed for the sole purpose of keeping valuables, big and small, in your hands, not theirs.

**SB2014-BLEL**  
20" tall



### **FireKing® Depository Safes**

Provides the capabilities required to protect assets, with features tailored to the needs of retail environments. Black. Limited one year warranty.

- Full length, hinge side deadbolt
- User friendly, UL® listed, electronic lock
- Drill resistant hard plate behind lock
- 6" drop slot
- Bolt down option
- Programmable electronic lock, auto detent

**SB2414-BLEL**  
24" tall



Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>SB2014-BLEL</b>	19 <sup>7</sup> / <sub>10</sub> " x 13 <sup>3</sup> / <sub>8</sub> " x 11 <sup>1</sup> / <sub>8</sub> "	20" x 14" x 14"	94.8 lbs.	0.95 cu. ft.
<b>SB2414-BLEL</b>	23 <sup>7</sup> / <sub>10</sub> " x 13 <sup>7</sup> / <sub>10</sub> " x 10 <sup>1</sup> / <sub>2</sub> "	24" x 14" x 14"	108.03 lbs.	2.72 cu. ft.



**FireKing®**

### < **FireKing® Trim Safe**

"Trim down" on theft and robbery with this compact safe. Installs easily near cash registers to permit frequent cash drops while limiting exposure.

- Ideal for cash based businesses
- Compact size and easily mounted
- Installation allowed near cash registers to permit frequent cash drops
- Keylock
- Slot dimensions: 5%W x 5%H



### **FireKing® Under Counter Safe** >

When it comes to cash safeguarding, we have it under control. Heavy duty, quick drop safe is predrilled for convenient mounting or bolting to your counter or floor.

- Ideal for cash based businesses
- Compact size and easily mounted
- Installation allowed near cash registers to permit frequent cash drops
- Keylock



Model No.	Description	Dimension H x W x D	Approx. Shipping Wt.	Capacity
<b>MS1206</b>	Trim Safe	12" x 6" x 7"	15 lbs.	0.2 cu. ft.
<b>MS1K-SG4440</b>	Under Counter Safe	11½" x 8½" x 10½"	30 lbs.	0.21 cu. ft.

*One year warranty.*



**CS2820-SR2**  
2 Door, 3 Drawer



**B2020S-SR2**  
Single Door

### < Drop Safes

Don't drop the ball when it comes to deterring robbery and theft. B rated Drop Safes come equipped with multiple user codes. 24/7/365 live technical support when needed.



### Compact Single Door Drop Slot Safe >

Ideal for nearly any retail environment, these safes keep your cash drops and till storage secure, simultaneously reducing theft, shrinkage and inefficient cash handling practices. These B rated safes enable you to easily make envelope size drops. In some models, the drops are protected in a separate interior key locking compartment.

**B1414S-SR1**



Model No.	Description	Outside Dimensions H x W x D	Approx. Shipping Wt.
<b>CS2820-SR2</b>	Drop Safe	28" x 20¼" x 16"	270 lbs.
<b>B2020S-SR2</b>	Drop Safe	20½" x 20½" x 20"	235 lbs.
<b>B1414S-SR1</b>	Compact Single Door Drop Slot Safe	14" x 14" x 14"	134 lbs.

# CASH HANDLING



## Hercules by FireKing® Cash Drawers

Backed by heavy gauge steel with specially engineered locking mechanisms and Silver Vein scratch resistant powder coating. All cash drawers come with cables. Interfaces with all POS systems.

Cash is the most frequently used payment method.

Therefore, protecting it is paramount. From drawers to boxes, FireKing® minds your money – so you can mind your business.



**CD1314**  
Compact Steel Cash Drawer



**CD1317**  
Standard Steel Cash Drawer

- Tray with 4 adjustable bill and 5 fixed coin compartments (CD1314).
- Tray with 5 adjustable bill and 5 adjustable coin compartments. 2 slots in drawer face for easy bill storage. Coin tray is removable (CD1317).
- Tray with 5 adjustable bill and 5 adjustable coin compartments. 2 slots in drawer face for easy bill storage. Coin tray is removable (CD1618).



**CD1618**  
Custom Steel Cash Drawer



Model No.	Lock	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>CD1314</b>	2 Keys Included	3" x 13" x 14½"	9.5 lbs.	0.33 cu. ft.
<b>CD1317</b>	2 Keys Included	3½" x 16½" x 17½"	14.75 lbs.	0.58 cu. ft.
<b>CD1618</b>	2 Keys Included	3½" x 16½" x 18"	15.4 lbs.	0.6 cu. ft.

Limited five year warranty.



# CASH HANDLING

## Hercules by FireKing® Cash Boxes

Sometimes, it's okay to think inside the box – especially when valuables are involved. Designed with strength and security in mind, our Hercules Cash Boxes are designed with heavy gauge recycled steel and seamless lines.

- Removable 6 compartment tray. Great for small items, collectibles and craft supplies. Slot measures 1 3/8" x 5/32" (CB0604).
- Can be used as a small cash box with removable 4 compartment tray or as a 10 hook key cabinet. Key tags and mounting hardware included (CB0806).
- Lift out 5 compartment coin tray, 4 spring loaded bill clips and convenient carry handle. Stop hinge design keeps unauthorized eyes from observing cash (CB1210).

**CB0604**  
Coin and Stamp Box



**CB0806**  
Convertible Cash and Key Box



**CB1210**  
Key Locking Cash Box



Model No.	Lock	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>CB0604</b>	2 Keys Included	3" x 6" x 4 5/8"	1.32 lbs.	0.05 cu. ft.
<b>CB0806</b>	2 Keys Included	3 1/2" x 7 1/8" x 6 1/2"	2.3 lbs.	0.12 cu. ft.
<b>CB1210</b>	2 Keys Included	4" x 11 3/4" x 10"	4.25 lbs.	0.25 cu. ft.

Limited five year warranty.

## Hercules by FireKing® Cash Boxes (Continued)

- Fits inside of small drawer. Removable 4 compartment tray (CB0707).
- Removable 6 compartment tray and convenient carry handle (CB1007).
- 8 coin and 1 bill tray on bottom and 4 spring loaded bill clips on top lid. Also features slot under tray for quick deposit and a convenient carry handle (CB1209).



**CB0707**  
Compact Cash Box



**CB1007**  
Large Cash Box



**CB1209**  
Custom Cash Box



Model No.	Lock	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>CB0707</b>	2 Keys Included	2" x 6 <sup>3</sup> / <sub>4</sub> " x 6 <sup>7</sup> / <sub>8</sub> "	1.65 lbs.	0.05 cu. ft.
<b>CB1007</b>	2 Keys Included	3 <sup>15</sup> / <sub>16</sub> " x 9 <sup>13</sup> / <sub>16</sub> " x 7 <sup>7</sup> / <sub>16</sub> "	2.7 lbs.	0.18 cu. ft.
<b>CB1209</b>	2 Keys Included	3 <sup>11</sup> / <sub>16</sub> " x 11 <sup>13</sup> / <sub>16</sub> " x 9 <sup>1</sup> / <sub>2</sub> "	4.5 lbs.	0.25 cu. ft.

Limited five year warranty.

# SECURITY

**FireKing®**

Facial recognition lock



Digital card reader



## **FireKing® School Medical Solution Cabinets**

Designed by nurses, this safe, simple and secure storage solution features an optional digital card reader or facial recognition lock for access control and audit tracking. Includes writable colored bags for enhanced confidentiality. Enhances HIPAA compliance. Reduces exposure to potential liability caused by medical dispersing errors. Can be customized into an all rail or all shelf system. Textured White.

### **24MSC-ELRWT**

24" tall with digital card reader

### **24MSC-RWT**

24" tall with cam lock

### **24MSC-FRRWT**

24" tall with facial recognition lock

### **72MSC-ELRWT**

72" tall with digital card reader

### **72MSC-RWT**

72" tall with cam lock

### **72MSC-FRRWT**

72" tall with facial recognition lock



medical supply  
security



theft  
resistant

Model No.	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>24MSC-RWT</b>	24 $\frac{1}{10}$ " x 24 $\frac{1}{10}$ " x 14 $\frac{1}{8}$ "	45 lbs.	4.76591 cu. ft.
<b>24MSC-ELRWT</b>	24 $\frac{1}{10}$ " x 24 $\frac{1}{10}$ " x 14 $\frac{1}{8}$ "	45 lbs.	4.76591 cu. ft.
<b>24MSC-FRRWT</b>	24 $\frac{1}{10}$ " x 24 $\frac{1}{10}$ " x 14 $\frac{1}{8}$ "	45 lbs.	4.76591 cu. ft.
<b>72MSC-RWT</b>	72 $\frac{1}{10}$ " x 36" x 15 $\frac{1}{8}$ "	176 lbs.	10.005/10.590 cu. ft.
<b>72MSC-ELRWT</b>	72 $\frac{1}{10}$ " x 36" x 15 $\frac{1}{8}$ "	176 lbs.	10.005/10.590 cu. ft.
<b>72MSC-FRRWT</b>	72 $\frac{1}{10}$ " x 36" x 15 $\frac{1}{8}$ "	176 lbs.	10.005/10.590 cu. ft.

Limited one year warranty.





**7-12%**  
of  
school children  
**need daily  
administered  
medication.**



## **Mistakes can't happen.**

### **The FireKing School Medication Solution Cabinet**

- Digital card reader or facial recognition lock provides access control and audit tracking
- Works with employee scan card technology
- Colored bags enhance HIPAA confidentiality
- Rail system holds writable, sealable bags
- Can be customized into an "all rail" or "all shelf" system
- Two sizes for wall/cabinet or floor model to accommodate between 25 and 250 students
- Suitable for adultcare, daycare, etc.

**Visit [fireking.com](https://fireking.com) to learn more.**

# SECURITY

## Hercules by FireKing® Electronic Key Cabinets >

Organization meets security. Welded heavy gauge steel with full piano hinges, with up to 8 number keypad codes for enhanced protection.

### KE1502-120

120 Key Tag Electronic Key Cabinet

## < Hercules by FireKing® Key Cabinets

There's no hook to our craftsmanship – just decades of experience. Heavy gauge steel designed with a unique drawn formed seamless body and locks to resist prying or tampering.

### KK0903-100

100 KeyTag Cabinet



Model No.	Key Capacity	Lock	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
KE1002-30	30	Electronic Lock and 2 Override Keys	12" x 9 7/8" x 2 1/2"	4.6 lbs.	0.17 cu. ft.
KE1302-60	60	Electronic Lock and 2 Override Keys	17" x 13" x 2 1/2"	7.2 lbs.	0.32 cu. ft.
KE1502-120	120	Electronic Lock and 2 Override Keys	17" x 14 3/4" x 2 1/2"	8.2 lbs.	0.36 cu. ft.

Five year warranty.



KK0803-32	32	Key (2 Included)	9 7/8" x 8" x 3"	2.95 lbs.	0.14 cu. ft.
KK0902-52	52	Key (2 Included)	11 7/8" x 9" x 3"	3.95 lbs.	0.18 cu. ft.
KK0903-100	100	Key (2 Included)	11 7/8" x 9" x 3"	5.19 lbs.	0.18 cu. ft.

Five year warranty.





## < Book Safes

Heavy gauge steel spells security in this safe disguised as an English dictionary.

**BK0802**  
Key Lock

**BC0903**  
Combination Lock

## Emergency Key Safe >

Modernity in a seamless drawn, heavy gauge steel design. Holds 3 emergency use keys and features a glass window if forced entry is required.

**EK0506**  
Key Locking Key Box



Model No.	Lock	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
<b>BC0903</b>	Combo	9¼" x 8" x 2½"	9⅝" x 8½" x 3"	3.3 lbs.	0.11 cu. ft.
<b>BK0802</b>	Key	10" x 7¼" x 2¼"	10½" x 7¾" x 2½"	3.3 lbs.	0.09 cu. ft.

Five year warranty.



<b>EK0506</b>	2 Keys Included		6" x 4¼" x 3"	1.3 lbs.	0.05 cu. ft.
---------------	-----------------	--	---------------	----------	--------------

Five year warranty.

## FireKing® Personal Safes >

It's everything personal. These safes are perfect for home – but can be used anywhere. Featuring a digital keypad with programmable code entry for security and easy access.

- Ideal for home or dorm room
- Bolt Down Kit (included) easily attaches safe to the wall or floor
- Digital keypad with 3 to 8 digit programmable code entry provides security and easy access (4xAAA batteries included)
- Manual override keys for emergencies
- Seamless steel body with heavy door
- 90 day warranty



LT1507

HS1207



ML1007

## < Portable Safe

Compact size makes this unit ideal for pistols. 3 digit combination lock, 0.9m security cable, foam interior and 1mm steel body and door.

ML1007



Model No.	Description	Dimensions H x W x D	Approx. Shipping Wt.	Capacity
LT1507	Large Personal Safe	7 <sup>3</sup> / <sub>4</sub> " x 15 <sup>1</sup> / <sub>4</sub> " x 16 <sup>5</sup> / <sub>8</sub> "	34 lbs.	1.2 cu. ft.

90 day warranty.



HS1207	Small Personal Safe	7 <sup>3</sup> / <sub>4</sub> " x 12 <sup>1</sup> / <sub>4</sub> " x 7 <sup>3</sup> / <sub>4</sub> "	19 lbs.	0.3 cu. ft.
--------	---------------------	--	---------	-------------

90 day warranty.



ML1007	Portable Safe	10" x 7" x 1 <sup>3</sup> / <sub>4</sub> "	2.5 lbs.	0.035 cu. ft.
--------	---------------	--	----------	---------------

90 day warranty.



## < Magnetic Door/Window Alarm

Don't let its 2½" frame fool you; our Magnetic Door/Window Alarm scares away intruders with a powerful 110dB sound level.

**PS1033**  
*Magnetic Door/Window Alarm*

## Door Stop Alarm >

Stops intruders – literally – in their tracks. Wedge shaped design and nonskid pad. Powerful 110dB sound level.

**PS1034**  
*Door Stop Alarm*



## < Compact Personal Alarm

LED flashlight, 110dB sound level panic alarm and passive infrared (PIR) motion detector alarm – all in one.

**PS1035**  
*Compact Personal Alarm*



Model No.	Description	Dimension H x W x D	Sound Level
<b>PS1033</b>	Magnetic Door/Window Alarm	3" x 1½" x ¾"	110dB
2 face mounting tape and 3 LR44 batteries included. One year warranty.			



<b>PS1034</b>	Door Stop Alarm	5½" x 1¼" x 1½"	110dB
9V battery included. One year warranty.			



<b>PS1035</b>	Compact Personal Alarm	2¾" x 1½" x ¾"	110dB
3 LR44 batteries included. Includes VELCRO® for mounting and easy detaching. One year warranty.			

Model No.	Description
-----------	-------------

### Medical Cabinets

409325	Shelf (Right) for 72" Medical Cabinet, White
409445	Shelf (Left) for 72" Medical Cabinet, White
517840	Small Prescription Organizing Bags for Medical Cabinet, Blue
517905	Large Plastic Staking and Hanging Parts Bin, Blue
517910	Small Plastic Staking and Hanging Parts Bin, Blue
517930	Hanger Bar for 24" Cabinet
517935	Hanger Bar for 72" Cabinet
517960	Alphabetized Hanging Dividers
517980	Large Prescription Organizing Bags for Medical Cabinet, Blue
518050	Medical Administration Log

### Card, Check & Note File Cabinets

22026	2 Section Document for 5"H x 9½"W Checks/Cards
32026	3 Section document for 5"H x 6½"W Checks/Cards
5926	Full Depth CardTray for 5"H x 9"W Checks/Cards

### Storage Cabinets

318870	EndTab Filing
318875	Pull Out Shelf
319035	Drawer Body
319080	Blue Print Hanger

Model No.	Description
-----------	-------------

### Storage Cabinets (cont.)

319070	4 Pack of EndTab Filing Dividers
408360	Extra Shelf
920-112	E-Lock for Storage Cabinet

### Letter/Legal Size File Cabinets

Caster Base	3½" Caster Base for Vertical File Cabinets
Caster Base	5" Caster Base for Vertical File Cabinets
513645	25" Hanging Folder Frame
513640	31" Hanging Folder Frame

### Letter Size File Cabinets

3512	CrossTray for 3"H x 5"W Cards
4612	CrossTray for 4"H x 6"W Cards
5812	CrossTray for 5"H x 8"W Cards
6912	CrossTray for 6"H x 9"W Cards
9612	CrossTray for 9"H x 6"W Cards
29626	2 Section Document Insert 9½"H x 6½"W Cards
39426	3 Section Document Insert 9½"H x 4"W Cards
41226	Top Inner Drawer, Letter Size
11226	1 Section Insert for Drawer 4"H Up to 12"W Checks/Cards
21226	2 Section Insert for Drawer 3" x 5" or 4" x 6" Cards, Letter Size

# ACCESSORIES

Model No.	Description
<b>Letter Size File Cabinets (cont.)</b>	
319015	Set of 2 Follower Blocks for Letter Files
319025	Set of 4 follower Blocks for Letter Files
<b>Legal Size File Cabinets</b>	
3515	Cross Tray for 3"H x 5"W Cards
4615	Cross Tray for 4"H x 6"W Cards
5815	Cross Tray for 5"H x 8"W Cards
41015	Cross Tray for 4"H x 10"W Checks
3715	Cross Tray for 3¼"H x 7¾"W cards
6915	Cross Tray for 6"H x 9"W Cards
9615	Cross Tray for 9"H x 6"W Cards
29726	2 Section Document Insert 9½"H x 7½"W Cards
319020	Set of 2 Follower Blocks for Legal Files
319030	Set of 4 Follower Blocks for Legal Files
39526	3 Section Document Insert 9½"H x 5"W Cards
41526	Top Inner Drawer, Legal Size
21526	2 Section Insert for Inner Drawer 3¼"H Up to 7¾"W Checks/Cards
31526	3 Section Insert for Inner Drawer 3" x 5" Cards

Model No.	Description
<b>Lateral File Cabinets</b>	
43215	Top Inner Drawer
63515	6 Section Insert for 3" x 5" Cards
54615	5 Section Insert for 4" x 6" Cards
513205 (P)	Cross Bar
513215 (P)	Adapter Bars 31"
300780 (M)	Adapter Bars 38"
301240 (M)	Adapter Bar 44"
<b>Lock Options</b>	
501745	Additional Keylocks
3006	UL Listed Group 2 Combination Lock instead of keylock
Ctr Dial Keylock	Keylock available for Combination Lock (keylocking dial)
3002	UL Listed Group 1R Manipulation Proof Combination Lock
E-Lock	UL Listed Group 2 Electronic Lock

**FireKing®**





101 Security Parkway • New Albany, IN 47150, USA



812-948-8400 or 800-457-2424



812-948-0437 or 800-227-7513



customerservice@fireking.com



fireking.com

A member of **FireKing**® Security Group.

F-0518-01