



Item # _____

Job _____



MetroFlex™ Carts and Drawers

FLEXLINE™ CARTS AND DRAWERS

Flexible options. Designed around you.

Flexline™ is designed with interchangeable components and accessories that can be combined in different configurations to conform to various applications.

- **Field Upgradeable:** Drawers and many accessories may be added or reconfigured at the facility. Choose your drawers and accessories for today's application needs and change them to meet tomorrow's.
- **Cleans Easily:** Flexline's cleaner design includes corrosion proof and stain resistant polymer materials, smooth rounded corners to allow for easy cleaning and *Microban® Antimicrobial Product Protection that keeps the cart cleaner between cleanings.
- **Easy Mobility:** Lightweight polymer construction, integrated cart handles and 5" (127mm) polyurethane casters, 2 directional and 2 total lock, provide for smooth transport and nimble maneuvering.
- **Variable Security:** Security can range from key locks to keyless entry electronic locks. The Electronic locks provide several levels of sophistication from simple keyless entry to auto-locking and audit trails. Card Readers (Proximity, Magnetic, & Bar Code) are an optional upgrade to the full feature electronic lock. Alternatively, drawers can be individually sealed with serialized plastic security seals or simply place a seal on the cart latch and seal all drawers with one seal.
- **Added Security:** Additional secure storage may be had by specifying locking side bins. When ordered these bins will be secured by the carts locking mechanism, either on the key lock side or passive lock side of the cart.
- **Organization and Identification:** Self-closing, full access drawers in a variety of heights, drawer dividers and labels, side storage accessories and an overbridge system are available to allow for easy access and identification of cart contents.
- **Spacious Worksurface** provides a smooth writing surface or ample space for prep work. For additional work space an optional pass through side shelf is available as an added bonus.
- **Identifiable:** Clean, contemporary design looks great in any professional environment. Ten drawer pull colors are available for easy identification of the cart or drawer purpose.
- **Configurations That Fit Your Budget:** Flexline is available in four heights and two widths and can be configured with or without a range of accessories, your choice!



*Microban® antimicrobial product protection helps keep surfaces "cleaner between cleanings" by inhibiting the growth of bacteria, mold and mildew that cause odors and stains on the shelf surface.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



InterMetro Industries Corporation
North Washington Street
Wilkes-Barre, PA 18705
www.metro.com



35-10



FLEXLINE™ CARTS AND DRAWERS



FLK21100



FLNK32000



FLP31100



FLNK22100



FLP41100



FLNK00300



FLP22010



FLNP13100

FLEXLINE™ CARTS AND DRAWERS



Basic Carts with Drawers

Model No.	Cart	Drawer Configuration	Lock	Drawer Pull Color
FLK21100	36" (914mm) H Standard	2 - 3" (76mm); 1 - 6" (152mm); 1 - 9" (229mm)	Key Lock	Violet
FLNK3200	36" (914mm) H Narrow	3 - 3" (76mm); 2 - 6" (152mm)	Key Lock	Pink
FLP31100	39" (991mm) H Standard	3 - 3" (76mm); 1 - 6" (152mm); 1 - 9" (229mm)	Passive Lock	Red
FLNK22100	42" (1067mm) H Narrow	2 - 3" (76mm); 2 - 6" (152mm); 1 - 9" (229mm)	Key Lock	Slate Blue
FLP41100	42" (1067mm) H Standard	4 - 3" (76mm); 1 - 6" (152mm); 1 - 9" (229mm)	Passive Lock	Slate Blue
FLNK00300	42" (1067mm) H Narrow	3 - 9" (229mm)	Key Lock	Dark Taupe
FLP22010	45" (1143mm) H Standard	2 - 3" (76mm); 2 - 6" (152mm); 1 - 12" (305mm)	Passive Lock	Orange
FLNP13100	45" (1143mm) H Narrow	1 - 3" (76mm); 3 - 6" (152mm); 1 - 9" (229mm)	Passive Lock	Green


Cart Bodies without Drawers

Model No.	Width/Length/Height		Drawer Space		Lock	Width
	(in.)	(mm)	(in.)	(mm)		
FL21P	22 ³ / ₈ x 32 ¹ / ₄ x 34 ³ / ₄	568 x 819 x 883	21	533	Passive Lock	Standard
FL24P	22 ³ / ₈ x 32 ¹ / ₄ x 38 ¹ / ₈	568 x 819 x 968	24	610	Passive Lock	Standard
FL27P	22 ³ / ₈ x 32 ¹ / ₄ x 41 ¹ / ₂	568 x 819 x 1054	27	686	Passive Lock	Standard
FL30P	22 ³ / ₈ x 32 ¹ / ₄ x 44 ⁷ / ₈	568 x 819 x 1140	30	762	Passive Lock	Standard
FLN21P	22 ³ / ₈ x 28 ⁷ / ₈ x 34 ³ / ₄	568 x 733 x 883	21	533	Passive Lock	Narrow
FLN24P	22 ³ / ₈ x 28 ⁷ / ₈ x 38 ¹ / ₈	568 x 733 x 968	24	610	Passive Lock	Narrow
FLN27P	22 ³ / ₈ x 28 ⁷ / ₈ x 41 ¹ / ₂	568 x 733 x 1054	27	686	Passive Lock	Narrow
FLN30P	22 ³ / ₈ x 28 ⁷ / ₈ x 44 ⁷ / ₈	568 x 733 x 1140	30	762	Passive Lock	Narrow
FL21K	22 ³ / ₈ x 32 ¹ / ₄ x 34 ³ / ₄	568 x 819 x 883	21	533	Key Lock	Standard
FL24K	22 ³ / ₈ x 32 ¹ / ₄ x 38 ¹ / ₈	568 x 819 x 968	24	610	Key Lock	Standard
FL27K	22 ³ / ₈ x 32 ¹ / ₄ x 41 ¹ / ₂	568 x 819 x 1054	27	686	Key Lock	Standard
FL30K	22 ³ / ₈ x 32 ¹ / ₄ x 44 ⁷ / ₈	568 x 819 x 1140	30	762	Key Lock	Standard
FLN21K	22 ³ / ₈ x 28 ⁷ / ₈ x 34 ³ / ₄	568 x 733 x 883	21	533	Key Lock	Narrow
FLN24K	22 ³ / ₈ x 28 ⁷ / ₈ x 38 ¹ / ₈	568 x 733 x 968	24	610	Key Lock	Narrow
FLN27K	22 ³ / ₈ x 28 ⁷ / ₈ x 41 ¹ / ₂	568 x 733 x 1054	27	686	Key Lock	Narrow
FLN30K	22 ³ / ₈ x 28 ⁷ / ₈ x 44 ⁷ / ₈	568 x 733 x 1140	30	762	Key Lock	Narrow

Drawer Shelf and Keyboard Shelf (Drawer pulls must be ordered with each drawer)

Model No.	Description
FL100	Lockable Drawer Cover
FL101	3" (76mm) Pull Out Shelf
FL102	Keyboard Tray
FL103L	3" (76mm) Narcotics Box/Individual Locking Drawer
FL103	3" (76mm) Drawer (no drawer pull)
FL106	6" (152mm) Drawer (no drawer pull)
FL109	9" (229mm) Drawer (no drawer pull)
FL112	12" (305mm) Drawer (no drawer pull)
FL120	Solid Bottom Shelf

Drawer Pull Colors



FLEXLINE™ CARTS AND DRAWERS



Specifications:

- **Cart Body:** Blow molded high density polyethylene (HDPE) body panels and top with Microban antimicrobial product protection. Top has integrated push handle. Side panels provide integrated accessory strips to allow no tool assembly of most accessories. Bins are available as locking or non-locking.
- **Cart Frame:** Epoxy coated 14 gauge, cold rolled steel
- **Locking Mechanism:** 12 gauge stainless steel bar with polycarbonate drawer mounted lock tabs. Passive security provided for drawers and left side bins (optional) with plastic security seal. Key lock mechanism provided for drawers and right side bins (optional). Electronic locks are optional for key lock carts.
- **Casters:** Four 5" (127mm) diameter stem casters with polyurethane tread and polymer horn: 2 Swivel lock — Rear, 2 total lock (brake and swivel lock) — Front.
- **Wheel Base:** Built-in extended base frame provides cart stability to adequately support articulating arms and overbridge accessories.
- **Drawers:** ABS injection molded drawer body, blow molded HDPE with Microban antimicrobial drawer front, ABS and Microban antimicrobial injection molded colored drawer pull and full extension, self-closing, ball bearing drawer slides.

Inside Dimension: 17" x 20¹/₈" (432 x 511mm)

Weight Capacity	Inside Height
3" (76mm) = 15 lbs. (6.75kg)	2.75" (70mm)
6" (152mm) = 25 lbs. (11.25kg)	5.75" (146mm)
9" (228mm) = 45 lbs. (20.25kg)	8.75" (222mm)
12" (305mm) = 45 lbs. (20.25kg)	11.75" (298mm)


- **Pullout shelf:** 1.75" (44mm) high epoxy coated 16 gauge cold rolled steel, with full extension, self-closing, ball bearing drawer slides. Weight Capacity: 45 lbs. (20.25kg)

Standard Cart Dimensions (D x L x H):

22 ³ / ₈ " x 32 ¹ / ₄ " x 45 ¹ / ₄ "	(568 x 819 x 1149mm)
22 ³ / ₈ " x 32 ¹ / ₄ " x 41 ⁷ / ₈ "	(568 x 819 x 1064mm)
22 ³ / ₈ " x 32 ¹ / ₄ " x 38 ¹ / ₂ "	(568 x 819 x 978mm)
22 ³ / ₈ " x 32 ¹ / ₄ " x 35 ¹ / ₈ "	(568 x 819 x 892mm)

Narrow Cart Dimensions (D x L x H):

22 ³ / ₈ " x 28 ⁷ / ₈ " x 45 ¹ / ₄ "	(568 x 733 x 1149mm)
22 ³ / ₈ " x 28 ⁷ / ₈ " x 41 ⁷ / ₈ "	(568 x 733 x 1064mm)
22 ³ / ₈ " x 28 ⁷ / ₈ " x 38 ¹ / ₂ "	(568 x 733 x 978mm)
22 ³ / ₈ " x 28 ⁷ / ₈ " x 35 ¹ / ₈ "	(568 x 733 x 892mm)



All Metro Catalog Sheets are available on our Web Site: www.metro.com



InterMetro Industries Corporation

North Washington Street, Wilkes-Barre, PA 18705
Phone: 570-825-2741
Fax: 570-825-2852

L02-175Be
Printed in U.S.A. 4/09

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2009 InterMetro Industries Corp.

For Product Information:
U.S. and Canada: 1.800.433.2232

Latin America: 1.561.333.3824
Europe: +31.76.587.7550

Asia/Pacific: +65.6567.8003
Middle East/Africa: +971.4.811.8286