



SHARKCAGE[®]

by Spacesaver[®]




PRODUCT CATALOG: SHARKCAGE





SHARKCAGE | THE ORIGINAL




SHARKCAGE | WHEEL CAGES

TABLE OF CONTENTS

04		INTRODUCTION
05		FEATURES
06		OVERVIEW
08		SHARKCAGE
12		HAZMAT LOCKER
14		TACTICAL LOCKERS
16		CONTAINER WAREHOUSE
18		WHEEL CAGES
20		TACTICAL BASKETS
22		REFERENCE TABLES



SHARKCAGE | TACTICAL LOCKERS



SHARKCAGE | TACTICAL BASKETS


INTRODUCTION

SharkCage® is an all-around solution to military logistics, enabling seamless transition from storage to staging, transport, deployment operations, and reset. Working closely with the US Military and NATO forces, we created the SharkCage to interface between storage and transportation, providing the flexibility to reduce loadout times, enable rapid deployment, and maintain the security of your equipment throughout the process.

Operating out of the SharkCage in garrison allows you to optimize warehouse space and streamline inventory counts. When preparing for a deployment, the cage can be easily secured with standard padlocks and loaded into shipping containers in minutes with minimal need for dunnage and repacking. Less time spent packing and accounting for gear translates into more time to train and prepare.

To ensure that gear arrives at its destination in the same shape in which it left, the SharkCage has been extensively tested for durability and shock absorption. Built from steel for optimal strength-to-weight ratio, the cages can be transported fully-loaded using any mode of military transportation including truck, ship, air lift, and sling-loading via helicopter.

STORE IT HOW YOU DEPLOY IT.



FEATURES

MOBILITY



TOPLIFT

Reinforced corner post and connection points to accommodate crane, helicopter lift and UNREP according to MIL-STD-913A, -209K and -648D. Weld seams inspected according to RCX-3 to ensure safety.



LAND-SEA-AIR

Strong enough for all modes of strategic transport, designed according to MIL-STD-1791D, -1366E and STANAG-3400.



INTERMODAL

Transition seamlessly from one mode of transport to the next according to the definition in MIL-STD-3028.



FORKLIFT


4-way forklift capability compatible with most pallet jacks and forklifts. Designed to fulfill both the STANAG-2828 and 2829, as well as MIL-STD-648D, to ensure operability in joint operations.



MINIMAL DUNNAGE

Secured in containers with minimal, if any, need for wooden bracing.

FLEXIBILITY



MOVEABLE

Rearrange the warehouse or temporarily move content closer to handling fully loaded.



STACKABLE

Self-centering corners to ensure safety and efficiency in stacking.



ADJUSTABLE

Adjust shelves to desired position without tools.



BOLT FREE

No tools required for assembly, disassembly or reconfiguring of shelf positions.



CONTENT VISIBILITY

See-through grid enables content visibility at all times. Covers available to temporarily limit visibility.

SECURITY



LOCKABLE

Lock using standard issue series 5200 padlocks.



PROTECT

Prevent content from shifting during transport by utilizing strapping points on the inside of the cage and simplify compliance with MIL-HDBK-701.



SAFETY

Increased handling safety for personnel as content is constrained, even if dropped or tipped.



DURABLE

Extra high-strength steel and hot dip galvanization to withstand any type of climate, handling or even fire.



ANTI SPARKING

Hot dip galvanization completely removes risk of sparks from metal-to-metal contact.

OVERVIEW



THE STANDARD

Heavy duty collapsible design, with access from both sides. Self centering stacking, strapping points on each shelf and ammunition certification, combined with optimal fit in most shipping containers, make this ideal for contingency, deployment and container management.

UNIQUE FEATURES



AMMO CERTIFIED

Certified for ammunition storage and transport by the Defense Ammunition Center according to TP-94-01 Rev 2. Designed according to MIL-STD 1660, with deviating size.



COLLAPSIBLE

Flat pack when empty to reduce container footprint while shipping, or to increase



PANEL DOORS

Detach side panels to access content.



HAZMAT

Based on THE STANDARD, with secondary containment to collect spills, and compliant with CLASS IIIP material handling regulation.

UNIQUE FEATURES



SECONDARY CONTAINMENT

Collects spills on each shelf level, according to MIL-STD-2073-1E and EPA 40 CFR 264.175.



COLLAPSIBLE

Flat pack when empty to reduce container footprint when shipping, or increase



ACID PROTECTION

Acid resistant paint on top of galvanization to resist acid attack from content such as batteries, according to PPP-B-140C.



TACTICAL LOCKERS

Rigid non-collapsible construction enables maximum internal-to-external capacity ratio. Doors that can be operated with one hand are available for easy access. More customization options available.

UNIQUE FEATURES



MAXIMUM SPACE UTILIZATION

Reduced wall thickness achieved by using a rigid construction.



MULTIPLE DOOR CONFIGURATIONS

Select from hinged doors or panels when customizing your cage. Available upon request.



CUSTOM INTERIORS

Add custom fasteners or holders to simplify content security. Available upon request.



CONTAINER WAREHOUSE

Convert a standard container into a mobile warehouse by using the integrated blocking and bracing, which enables access to all compartments while in container.

UNIQUE FEATURES



FULL CONTAINER ACCESS

Access all content of the container without downloading equipment through center aisle.



BLOCK & BRACE

Integrated system to safely enable access to all contents of the container by leaving the center aisle open as defined by MIL-STD-107J and -1186A.



WHEEL CAGES

Enables compliance with vertical stacking requirement for pneumatic wheel and tire assemblies, both in storage and transport. Increases material handling safety and reduces damage during maintenance operations.

UNIQUE FEATURES



SECURE WHEELS

Secure wheels in storage and transport to prevent damage to wheels and ensure safety of personnel.



ADAPT TO WHEEL SIZE

The cage adapts to wheel size and accommodates most military wheel sizes.



VERTICAL STORAGE

Comply with vertical storage requirement for pneumatic wheels, according to the Joint Service Manual.



TACTICAL BASKETS

Designed to simplify loading and securing of large bulk items like tents, pickets, supplies, diving gear and spare parts.

UNIQUE FEATURES



HINGED DOORS

Heavy duty hinged doors for easy entry of large bulk items.



TOP AND SIDE ACCESS

Top lid with self-elevating capabilities for easy access.

SHARKCAGE — ① — ② — ③ — ④

CHOOSE SIZE

THE STANDARD is the most versatile and robust of all the SHARKCAGES. It combines the extreme strength required to achieve ammunition transport certification (TP-94-01 Rev 2) for all modes of strategic transport, with a collapsible design. No tools are required to assemble or reconfigure shelf positions. Individually lockable compartments enable multiple units to share SHARKCAGES while maintaining content integrity. Several companies have tried to copy it, but no one can match the mobility aspects and quality of the SHARKCAGE STANDARD.

SHARKCAGE®

OUR SOLUTION

SMALL

52x42x62
WxDxH

MEDIUM

70x41x78
WxDxH

YOUR PLATFORM




		<p>40 FT</p>		
		<p>20 FT</p>		
		<p>10 FT</p>		
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>by TRICON II</p>		
		<p>QUADCON II</p>		
		<p>ISU 90</p>		
		<p>463L AIR PALLET</p>		
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>		<p>CROP/ PLS</p>		
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	<p>☆</p>	<p>☆</p>
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	<p>☆</p>	<p>☆</p>

SHARKCAGE — ① — ② — ③ — ④

CHOOSE SHELF TYPE

LARGE

89x45x87
WxDxH



SPLIT SHELF

The SPLIT SHELF doubles the number of compartments by dividing the cage vertically. Each side can have different shelf spacing and shelf count. The sides are separated by removable dividers and vertical shelf supports.




LONG SHELF

The LONG SHELF eliminates the need for the vertical shelf support, which makes entry of longer items easier. We recommend the LONG SHELF for tents and other bulky items.



SHARKCAGE — ① — ② — ③ — ④

CHOOSE YOUR CAGE



	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
SMALL	52x42x62	LONG SHELF	3 COMPARTMENTS/ 3 LEVELS	SCGSS	430 LBS	QUADCON & CROP/PLS	5,000 LBS	15 FEET	YES	4-WAYS	YES
MEDIUM	70x41x78	LONG SHELF	3 COMPARTMENTS/ 3 LEVELS	SCGSMLS	600 LBS	TRICON	5,000 LBS	15 FEET	YES	4-WAYS	YES
		SPLIT SHELF	6 COMPARTMENTS/ 3 LEVELS	SCGSMD	640 LBS						
LARGE	89x45x87	LONG SHELF	4 COMPARTMENTS/ 4 LEVELS	SCGSLLS	850 LBS	20 & 40 FT	5,000 LBS	15 FEET	YES	4-WAYS	YES
		SPLIT SHELF	8 COMPARTMENTS/ 4 LEVELS	SCGSLD	850 LBS						

SHARKCAGE — ① — ② — ③ — ④


ADD ACCESSORIES

Add a reinforced PVC weather cover to prevent content visibility or to protect contents from the elements.

	PART NO. OF COVER	FITS CAGE	PART NO. OF CAGE	FABRIC	COLOR
SMALL COVER GREEN	SCGCSSGREEN	SMALL	SCGSS	REINFORCED PVC	
SMALL COVER TAN	SCGCSSTAN				
SMALL COVER GREY	SCGCSSGREY				
MEDIUM COVER GREEN	SCGCSMGREEN	MEDIUM	SCGSMD	REINFORCED PVC	
MEDIUM COVER TAN	SCGCSMTAN				
MEDIUM COVER GREY	SCGCSMGREY				
LARGE COVER GREEN	SCGCSLGREEN	LARGE	SCGSLD	REINFORCED PVC	
LARGE COVER TAN	SCGCSLTAN				
LARGE COVER GREY	SCGCSLGREY				




ADAPT TO CARGO



LOCKABLE



INTERNAL STRAPPING POINTS




ASSEMBLE WITHOUT TOOLS



MEDIUM TAN COVER



MODULAR WAREHOUSE



MULTIPLE SHELF POSITIONS

HAZMAT LOCKER—①—②—③

CHOOSE SIZE

Secondary containment is required for several classes of supplies. Spill pallets work fine while in storage, but prevent maximizing the container in transport without increasing risk. The SHARKCAGE HAZMAT LOCKER resolves this issue.

With its wide and deep base, the HAZMAT LOCKER is ideal for moving around on ships or in the field. The size of the HAZMAT LOCKER ensures maximum intermodal capabilities, with compliance with 10', 20' and 40' containers, 463L Air Pallet, M3 CROP and more.

SHARKCAGE®

OUR SOLUTION

HAZMAT

70x44x60


WxDxH

YOUR PLATFORM

		<p>40 FT</p>	
		<p>20 FT</p>	
		<p>10 FT</p>	
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>TRICON I</p>	
		<p>TRICON II</p>	
		<p>QUADCON II</p>	
		<p>ISU 90</p>	
		<p>463L AIR PALLET</p>	
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>		<p>CROP/ PLS</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	<p>☆</p>
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	<p>☆</p>

HAZMAT LOCKER — ① — ② — ③

CHOOSE YOUR CAGE



HAZMAT SECONDARY COMPARTMENT

The SHARKCAGE HAZMAT LOCKER collects spills on each shelf level and guides those spills into a larger reservoir in the bottom construction. Once a spill is identified, open the drain bolt and drain the liquid out of the bottom corners.






	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
HAZMAT	70x44x60	LONG SHELF	3 COMPARTMENTS/ 3 LEVELS	SCGH	600 LBS	AIR PALLET, 20 FT, MTV, TRICON	4,400 LBS	15 FEET	YES	4-WAYS	NO

HAZMAT LOCKER — ① — ② — ③

CHOOSE ACCESSORIES

Add a reinforced PVC weather cover to prevent content visibility or to protect contents from the elements.

	PART NO. OF COVER	FITS CAGE	PART NO. OF CAGE	FABRIC	COLOR
HAZMAT COVER GREEN	SCGCHGREEN	HAZMAT	SCGH	REINFORCED PVC	
HAZMAT COVER TAN	SCGCHTAN				
HAZMAT COVER GREY	SCGCHGREY				

TACTICAL LOCKERS — ① — ② — ③

CHOOSE SIZE

The benefit over THE ORIGINAL is faster locking and opening, higher inside-to-outside dimension ratio, higher capacity-to-weight ratio, and increased options for customization. All this is achieved by removing the capability to collapse the cage.

The unique door locking mechanism is recessed into the cage itself, to prevent damage during transport. TACTICAL LOCKERS are also available with panels similar to those on THE ORIGINAL, which are easily removable. Panel doors work better when space is constrained or when the cage will be left open at all times.

SHARKCAGE®

OUR SOLUTION

DEPLOYMENT
LOCKER

44x52x73

WxDxH

YOUR PLATFORM

		<p>40 FT</p>	
		<p>20 FT</p>	
		<p>10 FT</p>	
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>by TRICON II</p>	
		<p>QUADCON II</p>	
		<p>ISU 90</p>	
		<p>463L AIR PALLET</p>	
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>		<p>CROP/ PLS</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	<p>☆</p>

TACTICAL LOCKERS — ① — ② — ③

CHOOSE YOUR CAGE



With its wide and deep base, the TACTICAL LOCKER is ideal for moving around on ships or in the field. The size of the TACTICAL LOCKER ensures maximum intermodal capabilities, with compliance with 10' ,20' and 40' containers, 463L Air Pallet, M3 CROP and more.



	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
DEPLOYMENT LOCKER	52x44x73	FEATHER LIGHT	1 COMPARTMENTS/ 5 LEVELS	SCGDL	470 LBS	463L AIR PALLET	5,000 LBS	15 FEET	YES	4-WAYS	NO

TACTICAL LOCKERS — ① — ② — ③

ADD ACCESSORIES

Add a reinforced PVC weather cover to prevent content visibility or to protect contents from the elements.

	PART NO. OF COVER	FITS CAGE	PART NO. OF CAGE	FABRIC	COLOR
DEPLOYMENT LOCKER COVER GREEN	SCGCDLGREEN	DEPLOYMENT LOCKER	SCGDL	ETTRA REINFORCED PVC	
DEPLOYMENT LOCKER COVER TAN	SCGCDLTAN				
DEPLOYMENT LOCKER COVER GREY	SCGCDLGREY				

CONTAINER WAREHOUSE — ① — ②

CHOOSE SIZE

The CONTAINER WAREHOUSE series has a built-in blocking and bracing feature that creates a safe aisle in the center of the container. The aisle allows access to all content in the container without the need to download the cages. Load the cages and store them ready to go in a climate-controlled warehouse. When a situation arises, rapidly form the kit needed to solve the mission. Load the cages into the container using a standard forklift, and mount the blocking and bracing in minutes. The modularity of the CONTAINER WAREHOUSE does not limit you to one container size, but fits the 10 ft. BICON, 20 ft. standard shipping container and the larger 40 ft. container.

SHARKCAGE®

OUR SOLUTION

CONTAINER WAREHOUSE II KIT*

55x30x87

WxDxH

YOUR PLATFORM


		<p>40 FT</p>	
		<p>20 FT</p>	
		<p>10 FT</p>	
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>by TRICON II</p>	
		<p>QUADCON II</p>	
		<p>ISU 90</p>	
		<p>463L AIR PALLET</p>	
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>		<p>CROP/ PLS</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	

CONTAINER WAREHOUSE —①—②

CHOOSE YOUR CAGE

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
CONTAINER WAREHOUSE II KIT*	55x30x87	LONG SHELF	3 COMPARTMENTS/ 6 LEVELS	SCGWC2K	507 LBS	10 & 20 FT	4,000 LBS	15 FEET	YES	4-WAYS	NO

*Includes four cages, light kit and block & bracing for container



WHEEL CAGES — ① — ②

CHOOSE SIZE

The WHEEL RACK complies with the requirement to store in a vertical position during transport. The WHEEL RACK enables significant footprint reduction, both in storage and transport. For the preposition afloat program, the WHEEL RACK cut the container footprint in half and drastically reduced damage resulting from handling. Now the wheel cages are also used in wheel maintenance programs, SSAs and standard warehouses, leading to a significant increase in productivity and a reduction in the number of damaged wheels.

SHARKCAGE®

OUR SOLUTION

WHEEL RACK

89x45x59
WxDxH

WHEEL RACK HD


44x55x67
WxDxH

YOUR PLATFORM

		<p>40 FT</p>		
		<p>20 FT</p>		
		<p>10 FT</p>		
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>by TRICON II</p>		
		<p>QUADCON II</p>		
		<p>ISU 90</p>		
		<p>463L AIR PALLET</p>		
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>	" by 217 inches and 231 inches by 91 1/2 inches."/>	<p>CROP/ PLS</p>		
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	<p>☆</p>	<p>☆</p>
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	<p>☆</p>	<p>☆</p>


WHEEL CAGES — ① — ②

CHOOSE YOUR CAGE



WHEEL RACK


The WHEEL RACKS fits up to seven ea. HMMWV wheel assemblies while stacking two-high in a 20 ft. container, increasing the capacity of a 20 ft. container to 70 ea. HMMWV wheel assemblies. The pivoting front gate, secured by two standard cargo straps, and adjustable side walls, enables fit for most military wheels. We have developed an extender for the largest wheels, of 55" and up.



WHEEL RACK HD

The WHEEL RACK HD was designed to accommodate run-flat MRAP wheels of up to 2,000 lbs each, but is also used by units that have low quantities of wheels. The WHEEL RACK HD secures the wheels by lowering the entire top construction to lock the wheels in place. The front gate slams shut and can be used to secure the wheels in storage for easier access.

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
WHEEL RACK	89x45x59		1 COMPARTMENT/ 1 LEVEL	SCGWR	460 LBS	20 FT	4,000 LBS	15 FEET	YES	4-WAYS	NO
WHEEL RACK HD	44x55x67		1 COMPARTMENT/ 1 LEVEL	SCGWRHD	400 LBS	20 FT	5,000 LBS	15 FEET	YES	4-WAYS	NO
WHEEL RACK EXTENDER	4x45x33			SCGWREXT	71 LBS						



TACTICAL BASKETS — ① — ②

CHOOSE SIZE

To accommodate easy entry and security for bulk items, we developed the TACTICAL BASKETS. Hinged doors or gates enable easier access for larger items like poles, stakes or tents. We have also added several other features that simplify the loading and securing of larger items. The TACTICAL BASKETS come with forklift pockets inside the loading compartment, enabling heavy items to be loaded directly into the cage by forklift without the need for a pallet. All the baskets have multiple internal strapping points, ensuring it is easy to fasten larger items. Some of the baskets are also compatible with vertical dividers, allowing the cage to be split into smaller compartments

SHARKCAGE®

OUR SOLUTION

TACTICAL BASKET


104x42x31
WxDxH

YOUR PLATFORM

		<p>40 FT</p>	
		<p>20 FT</p>	
		<p>10 FT</p>	
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>by TRICON II</p>	
		<p>QUADCON II</p>	
		<p>ISU 90</p>	
		<p>463L AIR PALLET</p>	
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>		<p>CROP/ PLS</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	

TACTICAL BASKETS — ① — ②

CHOOSE YOUR CAGE



A capacity of 7,000 lbs and a stacking capability of up to seven-high make this cage ideal for heavier items. Forklift pockets inside the compartment allow forklift loading and unloading without the need for a pallet. Add top lid to secure items inside.

Add TOP LID to be able to secure items inside. Part no. SCGTBTL

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
TACTICAL BASKET	104x42x31		1 COMPARTMENT/ 1 LEVEL	SCGTB	600 LBS	CROP/PLS, 463L AIR PALLET	7,000 LBS	7 CAGES	YES	4-WAYS	NO
TACTICAL BASKET TOP LID				SCGTBTL	120 LBS						

REFERENCE TABLES

SHARKCAGES

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
SMALL	52x42x62	LONG SHELF	3 COMPARTMENTS/ 3 LEVELS	SCGSS	430 LBS	QUADCON & CROP/PLS	5,000 LBS	15 FEET	YES	4-WAYS	YES
MEDIUM	70x41x78	LONG SHELF	3 COMPARTMENTS/ 3 LEVELS	SCGSMLS	600 LBS	TRICON	5,000 LBS	15 FEET	YES	4-WAYS	YES
		SPLIT SHELF	6 COMPARTMENTS/ 3 LEVELS	SCGSMD	640 LBS						
LARGE	89x45x87	LONG SHELF	4 COMPARTMENTS/ 4 LEVELS	SCGSLLS	850 LBS	20 & 40 FT	5,000 LBS	15 FEET	YES	4-WAYS	YES
		SPLIT SHELF	8 COMPARTMENTS/ 4 LEVELS	SCGSLD	850 LBS						

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
HAZMAT	70x44x60	LONG SHELF	3 COMPARTMENTS/ 3 LEVELS	SCGH	600 LBS	AIR PALLET, 20 FT, MTV, TRICON	4,400 LBS	15 FEET	YES	4-WAYS	NO

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
DEPLOYMENT LOCKER	52x44x73	FEATHER LIGHT	1 COMPARTMENTS/ 5 LEVELS	SCGDL	470 LBS	463L AIR PALLET	5,000 LBS	15 FEET	YES	4-WAYS	NO

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
CONTAINER WAREHOUSE II	55x30x83	LONG SHELF	3 COMPARTMENTS/ 6 LEVELS	SCGWC2K	507 LBS	10 & 20 FT	4,000 LBS	15 FEET	YES	4-WAYS	NO

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
WHEEL RACK	89x45x59		1 COMPARTMENT/ 1 LEVEL	SCGWR	460 LBS	20 FT	4,000 LBS	15 FEET	YES	4-WAYS	NO
WHEEL RACK HD	44x55x67		1 COMPARTMENT/ 1 LEVEL	SCGWRHD	400 LBS	20 FT	5,000 LBS	15 FEET	YES	4-WAYS	NO
WHEEL RACK EXTENDER	4x45x33			SCGWREXT	71 LBS						

	SIZE (WxDXH)	SHELF TYPE	NO. OF COMPARTMENTS/ LEVELS	PART NO.	TARE WEIGHT	OPTIMAL PLATFORM	CAPACITY (TOTAL)	STACKABILITY	TOP LIFT	FORK LIFT	AMMO CERTIFIED BY DAC
TACTICAL BASKET	104x42x31		1 COMPARTMENT/ 1 LEVEL	SCGTB	600 LBS	CROP/PLS, 463L AIR PALLET	7,000 LBS	7 CAGES	YES	4-WAYS	NO
TACTICAL BASKET TOP LID				SCGTBTL	120 LBS						

COVERS

	PART NO. OF COVER	FITS CAGE	PART NO. OF CAGE	FABRIC	COLOR
SMALL COVER GREEN	SCGCSSGREEN	SMALL	SCGSS	REINFORCED PVC	
SMALL COVER TAN	SCGCSSTAN				
SMALL COVER GREY	SCGCSSGREY				
MEDIUM COVER GREEN	SCGCSMGREEN	MEDIUM	SCGSMD	REINFORCED PVC	
MEDIUM COVER TAN	SCGCSMTAN				
MEDIUM COVER GREY	SCGCSMGREY				
LARGE COVER GREEN	SCGCSLGREEN	LARGE	SCGSLD	REINFORCED PVC	
LARGE COVER TAN	SCGCSLTAN				
LARGE COVER GREY	SCGCSLGREY				

	PART NO. OF COVER	FITS CAGE	PART NO. OF CAGE	FABRIC	COLOR
HAZMAT COVER GREEN	SCGCHGREEN	HAZMAT	SCGH	REINFORCED PVC	
HAZMAT COVER TAN	SCGCHTAN				
HAZMAT COVER GREY	SCGCHGREY				

	PART NO. OF COVER	FITS CAGE	PART NO. OF CAGE	FABRIC	COLOR
DEPLOYMENT LOCKER COVER GREEN	SCGCDLGREEN	DEPLOYMENT LOCKER	SCGDL	ETTRA REINFORCED PVC	
DEPLOYMENT LOCKER COVER TAN	SCGCDLTAN				
DEPLOYMENT LOCKER COVER GREY	SCGCDLGREY				

REFERENCE TABLES

SHARKCAGE®

SHARKCAGE

FITS

SHARKCAGE

OPTIMAL FIT

OUR SOLUTION

SMALL

52x42x62
WxDxH

MEDIUM

70x41x78
WxDxH

YOUR PLATFORM

		<p>40 FT</p>		
		<p>20 FT</p>		
		<p>10 FT</p>		
<p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		<p>TRICON II</p>		
		<p>QUADCON II</p>		
		<p>ISU 90</p>		
		<p>463L AIR PALLET</p>		
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>		<p>CROP/ PLS</p>		
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>FMTV</p>	<p>☆</p>	<p>☆</p>
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		<p>LMTV</p>	<p>☆</p>	<p>☆</p>














































REFERENCE TABLES

SHARKCAGE®

OUR SOLUTION

**DEPLOYMENT
LOCKER**
44x52x73
WxDxH

HAZMAT
70x44x60
WxDxH

YOUR PLATFORM				
		 <p>40 FT</p>		
		 <p>20 FT</p>		
		 <p>10 FT</p>		
 <p>TRICON I IS IDENTICAL, BUT HAS ONE SIDE ACCESS ONLY</p>		 <p>TRICON II</p>		
		 <p>QUADCON II</p>		
		 <p>ISU 90</p>		
		 <p>463L AIR PALLET</p>		
<p>87" WITH ACCESS TO TIE-DOWNS MAXIMUM HEIGHT IS 74" WHEN CROP IS PLACED INSIDE A CONTAINER</p>	" data-bbox="241 651 425 706"/>	 <p>CROP/PLS</p>		
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		 <p>FMTV</p>		<p>☆</p> 
<p>☆ WILL NOT FIT WITH TARP ATTACHED</p>		 <p>LMTV</p>	<p>☆</p> 	<p>☆</p> 





Spacesaver Corporation
1450 Janesville Avenue
Fort Atkinson, WI 53538-2798
1-800-492-3434
www.spacesaver.com



KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54302-8100
1-800-424-2432
www.ki.com

Spacesaver Corporation is a division of KI.

KI and Spacesaver are registered trademarks of Krueger International, Inc.

© 2016 KI and Spacesaver Corporation. All Rights Reserved. Litho in USA. SharkCage_0416_ProductCatalog